

TECHNICAL SPECIFICATIONS

DANSMAKERS

ADRES

Dansmakers Amsterdam (office, theatre and studio Cube)
Gedempt Hamerkanaal 203
1021 KP Amsterdam


T +31 (0)20 68 91 789

E info@dansmakers.nl



GENERAL

Smallest entrance: 3,5m x 4m (W x H)
Distance to stage: 20m
Stage: 11m x 10,23m x 4,5m (W x D X H)
Back Wall: White
Side Wall: White (6m distance to stage)
Curtains: Legs black (on request)
Backdrop black (on request)
Dance vinyl: Standard black
White on request
Audience: 148 seats
FOH: At the top of tribune
Dressing rooms: 2 dressing rooms with shower



SOUND

Top: 2x Proel EX15A/200W (flown)
Sub: 1x Proel EX18SA/250W (under tribune)
Monitor: 2x RCF 315A

Mixer: 1x Yamaha O1V96i

Microphones: 1x Shure SM58
1x Shure SM58A Beta
3x Shure SM57
2x Sontronics STC-5
3x Shure SM58 PGX2 wireless + receiver

4x Mic stands high
3x Mic stands table
15m 8 channels audio multi
4x Stereo DI (Behringer)

LIGHT

Profile: 5x 1kW Pacific 23-50
16x 750W ETC 25-50
PC: 20x 1kW Selecon
Fresnel: 22x 1kW Selecon
PAR64: 17x 1kW Medium black can (narrow available)
5x 1kW Medium silver can
Floodlight: 6x 1kW A-symmetrical
Striplight: 4x 10x 75W

Available power: 3x 125 Amp total. Useable for company's; 1x 125A, 1x 63A and 1x 32A in kitchen.

Dimmers: 50x 2kW


Audience light, shutter and foyer have their own dimmer!

Hard & soft patch possible

8x Light tower 1,6m height max.
15x Floorstands

Lightconsole: Compulite Photon

Truss A thru D are movable



FZ6 = Shutter Beamer
 FZ7 = vaste spanning beamer
 FZ8 = Publiekslicht

	Profil 1Kw
	Fresnell 1Kw
	PC 1Kw
	Par 1Kw CP62Medium
	Par 1Kw CP61 Narrow
	Horizon asymmetrisch

PROJECTORS

HDMI

1x	Optoma EP783S	5000 ANSI Lumen	(Long throw lens) (Fixed position) (Shutter)
----	---------------	-----------------	--

VGA

1x	Philips LC1345	3200 ANSI Lumen	(Short throw lens)
1x	Philips LC1345	3200 ANSI Lumen	(Standard lens) (Shutter)
1x	Acer X113H	2800 ANSI Lumen	(Foyer)
1x	Sony VPL ES2	1500 ANSI Lumen	

STAGE PARTS

17 stage parts of 1x2 m

Legs:

5x 30 cm

20x 40 cm

42x 60 cm

19x 90 cm

20x 117 cm

Disclaimer: No rights can be derived from this technical list